REGION 10 ANNOTATED VERSION -- JUNE 12, 2000 DOCUMENTATION OF ENVIRONMENTAL INDICATOR DETERMINATION

Interim Final 2/5/99

RCRA Corrective Action Environmental Indicator (EI) RCRIS code (CA725)

Current Human Exposures Under Control

Facility Name:

General Electric-Dawson Plant

Facility Address:

220 S. Dawson Street, Seattle, WA 98108

Facility EPA ID #:

WAD009278706

1.	Has all available relevant/significant information on known and reasonably suspected releases to soil,
	groundwater, surface water/sediments, and air, subject to RCRA Corrective Action (e.g., from Solid Waste
	Management Units (SWMU), Regulated Units (RU), and Areas of Concern (AOC)), been considered in
	this El determination?

_X	If yes - check here and continue with #2 below.
	If no - re-evaluate existing data, or
	if data are not available skip to #6 and enter "IN" (more information needed) status code.

El determinations are intended to be a "snapshot" of current site conditions, and should NOT require additiona data to be gathered at the time an El determination is made. Even if available data are clearly insufficient to determine the nature and extent of contamination or whether cleanup standards are met, it is perfectly acceptable to check "yes" for question #1 as long as whatever data currently available has been considered. When data currently available are considered but are insufficient for El determinations, such a conclusion should be indicated in question 3 for pathways and question 4 for exposures.

BACKGROUND

<u>Definition of Environmental Indicators (for the RCRA Corrective Action)</u>

Environmental Indicators (EI) are measures being used by the RCRA Corrective Action program to go beyond programmatic activity measures (e.g., reports received and approved, etc.) to track changes in the quality of the environment. The two EI developed to-date indicate the quality of the environment in relation to current human exposures to contamination and the migration of contaminated groundwater. An EI for non-human (ecological) receptors is intended to be developed in the future.

Note: Even though only currently available data should be used for EI determinations, the process of making EI determinations may well identify data gaps that need to be filled through the corrective action process.

Definition of "Current Human Exposures Under Control" EI

A positive "Current Human Exposures Under Control" EI determination ("YE" status code) indicates that there are no "unacceptable" human exposures to "contamination" (i.e., contaminants in concentrations in excess of appropriate risk-based levels) that can be reasonably expected under current land- and groundwater-use conditions (for all "contamination" subject to RCRA corrective action at or from the identified facility (i.e., site-wide)).

Relationship of EI to Final Remedies

While Final remedies remain the long-term objective of the RCRA Corrective Action program the EI are near-term objectives which are currently being used as Program measures for the Government Performance and Results Act of 1993, GPRA). The "Current Human Exposures Under Control" EI are for reasonably expected human exposures

under current land- and groundwater-use conditions ONLY, and do not consider potential future land- or groundwater-use conditions or ecological receptors. The RCRA Corrective Action program's overall mission to protect human health and the environment requires that Final remedies address these issues (i.e., potential future human exposure scenarios, future land and groundwater uses, and ecological receptors).

Duration / Applicability of EI Determinations

EI Determinations status codes should remain in RCRIS national database ONLY as long as they remain true (i.e., RCRIS status codes must be changed when the regulatory authorities become aware of contrary information).

2. Are groundwater, soil, surface water, sediments, or air **media** known or reasonably suspected to be "contaminated" above appropriately protective risk-based "levels" (applicable promulgated standards, as well as other appropriate standards, guidelines, guidance, or criteria) from releases subject to RCRA Corrective Action (from SWMUs, RUs or AOCs)?

In many cases, available sampling and analytical data will be insufficient to fully document whether or not contaminant levels in the various media are above or below appropriate risk-based levels. For purposes of making EI determinations, it is entirely appropriate to use sound professional judgment as to whether particular media are or are not contaminated. For example, at a site with metal contamination in groundwater, professional judgment could easily be used to determine that no air (indoor or outdoor) contamination had occurred. This is particularly important when a phased approach is used for site characterization or corrective action - if characterization of a particular portion of a site has been deferred under a phased approach on the basis that that area is not believed to be contaminated and this belief is reasonably supported by an analysis of historical activities, process knowledge or other information, then it is quite reasonable to conclude that media in that area are not "contaminated" as part of a site-wide EI determination. Should data contradicting the initial phased-investigation presumption be gathered later in the site characterization process, it can easily be reflected in an updated EI determination. Deferral of a particular area as being low priority but still or likely to be contaminated should be reflected by a "no" or "in" EI.

	Yes	No	?	Rationale / Key Contaminants
Groundwater	X			TCE, PCE, 12 DCE and vinyl chloride
				above MTCA B drinking water and surface
				water cleanup standards.
Air (indoors) ²	X			TCE above MTCA Method C
Surface Soil (e.g., <2 ft)		×		Contaminated soils above water table excavated
Surface Soff (e.g., <2 ft)	_	_^_	_	and disposed
Surface Water		X		TCE above MTCA B surface water cleanup levels
Sediment		X		•
Subsurf. Soil (e.g., >2 ft)	X			Contaminated soils only above water table excavated
5005un. 50n (c.g., -2 n)	-^-	_	_	& disposed. Some contamination below the w.t. r remains
Air (outdoors)		X		

¹ "Contamination" and "contaminated" describes media containing contaminants (in any form, NAPL and/or dissolved, vapors, or solids, that are subject to RCRA) in concentrations in excess of appropriately protective risk-based "levels" (for the media, that identify risks within the acceptable risk range).

² Recent evidence (from the Colorado Dept. of Public Health and Environment, and others) suggest that unacceptable indoor air concentrations are more common in structures above groundwater with volatile contaminants than previously believed. This is a rapidly developing field and reviewers are encouraged to look to the latest guidance for the appropriate methods and scale of demonstration necessary to be reasonably certain that indoor air (in structures located above (and adjacent to) groundwater with volatile contaminants) does not present unacceptable risks.

	appropri	r all media) - skip to tate "levels," and refe e "levels" are not exc	rencing sufficient		
	"contam determin	or any media) - conting inated" medium, citing nation that the medium of documentation.	ng appropriate "lev	vels" (or provide an e	xplanation for the
	If unkno	wn (for any media) -	skip to #6 and ent	ter "IN" status code.	
most sig which pa complex	onale/key contaminants should inificantly drive cleanup decisi articular risk-based standard is a documents, a note to the parti- be provided, as it is often diffic	ons), as well as a refe being used as the bas cular section, table, e	erence to key docu sis of comparison etc. from which da	ments, if any. A not should also be include	e as to ed. For
	Rationale and Reference(s excavated and disposed of PCE, and vinyl chloride exboundary. Groundwater collevels within the property MTCA Method B potable beyond the former GE downward commercial occupancy see one building will require in the Quarterly Groundwate Contaminant Migration M Interior Environments Buil Intrusion-Former GE Build 2006.	f-site. As of the date acceed MTCA Method oncentrations of TCE boundary. Based on groundwater cleanup vngradient property literario and typical curnitigation to prevent for Monitoring Reports todel, dated 9/21/04, Edding, dated July 17, 2	of this evaluation, I B potable ground and PCE exceed I current data, TCE levels and TCE exine. Current 2006 in the exposure (working the exposure) and Section of Pote 2006, and Evaluation of Pote 2006, and Evaluation	groundwater concent water cleanup levels MTCA Method B sur E, cis 1,2-DCE and vixceeds the surface was indoor air data is accerking) hours; howeve acceptable indoor air econd Draft Site Hydrantial for Subsurface Ition of Potential for Site Indoor	trations of TCE, within the property face water cleanup nyl chloride exceed ater cleanup level eptable based on r subslab vapors in exposures. Refer to rogeologic and Wapor Intrusion-ubsurface Vapor
3.	Are there complete pathw reasonably expected under				exposures can be
	Summary Exposure Pathw	ay Evaluation Table			
		Potential H	uman Receptors ((Under Current Cond	itions)
	"Contaminated" Media Groundwater Air (indoors) Soil (surface, e.g., <2 ft) Surface Water	Residents WorkersX	Day-Care Const	ruction Trespassers	Recreation Food ³

1 Stelle out modific Medic including Human Decentors' appare for Medic

Instructions for Summary Exposure Pathway Evaluation Table:

^{1.} Strike-out specific Media including Human Receptors' spaces for Media which are not "contaminated") as identified in #2 above.

³ Indirect Pathway/Receptor (e.g., vegetables, fruits, crops, meat and dairy products, fish, shellfish, etc.)

2. Enter "yes" or "no" for potential "completeness" under each "Contaminated" Media -- Human Receptor combination (Pathway).

Note: In order to focus the evaluation to the most probable combinations some potential "Contaminated"

Media - Human Receptor combinations (Pathways) do not have check spaces ("___"). While these combinations may not be probable in most situations they may be possible in some settings and should be added as necessary.

If no (pathways are not complete for any contaminated media-receptor combination) - skip to #6, and enter "YE" status code, after explaining and/or referencing condition(s) in-place, whether natural or man-made, preventing a complete exposure pathway from each contaminated medium (e.g., use optional Pathway Evaluation Work Sheet to analyze major pathways).

_X__ If yes (pathways are complete for any "Contaminated" Media - Human Receptor combination) - continue after providing supporting explanation.

____ If unknown (for any "Contaminated" Media - Human Receptor combination) - skip to #6 and enter "IN" status code

For sediments (if not other media like surface or groundwater), exposure should consider the potential for subsistence food source exposures, in addition to traditional exposure routes such as direct contact or

Rationale and Reference(s): Groundwater extraction wells at the downgradient boundary of the former GE property are operating to help capture groundwater contamination. An additional near-source onsite groundwater extraction well was installed in late 2003. However, a portion of the groundwater contaminant plume did migrate offsite prior to the installation of groundwater recovery wells. The Duwamish River is approximately 2000 feet from the former GE facility. The contaminated upper aquifer is not currently used as a drinking water source. There are no known residences (only industrial businesses) down gradient of the former GE facility. The owner of the former GE property and the area businesses are currently required to use city water for drinking water purposes. The owner of the former GE property and the most down gradient property owners (Liberty Ridge, LLC for the Iridio/Glacier NW Building and Environmental Interior Building) are aware of the contaminated groundwater. The former GE building and the Iridio Office Building have the highest levels of contamination in the underlying aquifer. As of the time of this evaluation, there are no construction activities on these two properties that would expose workers to contaminated groundwater. Contact with this contaminated groundwater is unlikely unless future groundwater extraction wells are installed to withdraw this water.

direct ingestion.

The groundwater contamination is mostly located at depths of 20-40 feet below grade further down gradient of the Liberty Ridge building, however, shallow TCE groundwater contamination results in the potential for future vapor intrusion of TCE into the former GE building and Interior Environment building. Refer to the Quarterly Groundwater Monitoring Reports thru 2005 and Second Draft Site Hydrogeologic and Contaminant Migration Model, dated 9/21/04, Evaluation of Potential for Subsurface Vapor Intrusion-Interior Environments Building, dated July 17, 2006, and Evaluation of Potential for Subsurface Vapor Intrusion-Former GE Building, February 6, 2006, and Ecology Response Letter to GE date March 10, 2006.

In general, EI's (if not cleanup standards themselves) can be met through a combination of reduction of contaminant concentrations (assuming that concentrations have been unacceptable) and (physical) engineering or institutional controls that interrupt an exposure pathway. For purposes of EI determinations, however, institutional or engineering controls do not need to have the sophistication, permanence, or legal defensibility as would be necessary for a final corrective action remedy. Rather, they need to be functional and reasonable - should the controls later be found to be no longer effective, the finding can easily be reflected in an updated EI determination.

An example might be the existence of off-site groundwater contamination that might pose risks to utility workers outside of the facility boundary. In this instance, evidence of an agreement between the facility and the utility that excavations would not occur in the contaminated area without appropriate protective gear would be acceptable for meeting the human exposures controlled EI.

Can the exposures from any of the complete pathways identified in #3 be reasonably expected to be

greater in magn "levels" (used to though low) and	i.e., potentially "unacceptable" because exposures can be reasonably expected to be: 1) itude (intensity, frequency and/or duration) than assumed in the derivation of the acceptable of identify the "contamination"); or 2) the combination of exposure magnitude (perhaps even decontaminant concentrations (which may be substantially above the acceptable "levels") greater than acceptable risks)?
_X	If no (current exposures can not be reasonably expected to be significant (i.e., potentially "unacceptable") for any complete exposure pathway) - skip to #6 and enter "YE" status code after explaining and/or referencing documentation justifying why the exposures (from each of the complete pathways) to "contamination" (identified in #3) are not expected to be "significant."
	See Semantic Alert above.
,).	If yes (current exposures could be reasonably expected to be "significant" (i.e., potentially "unacceptable") for any complete exposure pathway) - continue after providing a description (of each potentially "unacceptable" exposure pathway) and explaining and/or referencing documentation justifying why the exposures (from each of the remaining complete pathways) to "contamination" (identified in #3) are not expected to be "significant."
	If unknown (for any complete pathway) - skip to #6 and enter "IN" status code
below grade furt contamination is air data and vape shows acceptabl current exposure C indoor air clea	eference(s): The groundwater contamination is mostly located at depths of 20-40 feet ther down gradient of the Liberty Ridge building, however, shallow TCE groundwater is present at the former GE building and immediately downgradient. Current 2006 indoor or intrusion assessment of the former GE building and downgradient impacted buildings in the TCE indoor air concentrations based on a commercial working scenario and typical is (working) hours based on 1EE-05 TCE cancer risk rather than the default MTCA Method anup default exposures. However high subslab vapors in the former GE building will not to prevent future potential unacceptable indoor air exposures.
5 Can the "signific	cant" exposures (identified in #4) be shown to be within acceptable limits?
	If yes (all "significant" exposures have been shown to be within acceptable limits) - continue and enter "YE" after summarizing <u>and</u> referencing documentation justifying why all "significant" exposures to "contamination" are within acceptable limits (e.g., a site-specific Human Health Risk Assessment).
_	If no (there are current exposures that can be reasonably expected to be "unacceptable")-continue and enter "NO" status code after providing a description of each potentially "unacceptable" exposure.
	If unknown (for any potentially "unacceptable" exposure) - continue and enter "IN" status code
arriving at whatever cond	stion should include a brief description of the analysis and assumptions used in clusion is reached. The description does not have to be particularly detailed, but it o gain a basic understanding of the reasoning employed by the decision-maker.
Rationale and Re	eference(s):

⁴ If there is any question on whether the identified exposures are "significant" (i.e., potentially "unacceptable") consult a human health Risk Assessment specialist with appropriate education, training and experience.

Check the appropriate RCRIS status codes for the Current Human Exposures Under Control EI event code

(and attach appr	YE - Yes, "Current Human Exposures Under Control" has been verified. Based on a review of the information contained in this EI Determination, "Current Human Exposures" are expected to be "Under Control" at the General Electric – Dawson Street facility, EPA ID # WAD009278706, located at 220 South Dawson Street, Seattle, WA under current and reasonably expected conditions. This determination will be reevaluated when the Agency/State becomes aware of significant changes at the facility.
	NO - "Current Human Exposures" are NOT "Under Control."
	IN - More information is needed to make a determination.
Completed by	Der Jasud Date: 08/09/06 Dean Yasada
	Environmental Engineer Hazardous Waste and Toxics Reduction Program Washington State Department of Ecology, Northwest Regional Office
Supervisor	Julie Sellick Date 8/15/06
	Hazardous Waste and Toxics Reduction Program, Section Supervisor Washington State Department of Ecology, Northwest Regional Office
Locations where	References may be found:

 Washington State Department of Ecology-Central Files Office Northwest Regional Office 3190 160th Ave SE Bellevue, WA 98008-5452 (425) 649-7190

Contact telephone and e-mail numbers

6.

Name: Dean Yasuda Telephone: 425 649 7264 E-mail: dyas461@ecy.wa.gov

FINAL NOTE: THE HUMAN EXPOSURES EI IS A QUALITATIVE SCREENING OF EXPOSURES AND THE DETERMINATIONS WITHIN THIS DOCUMENT SHOULD NOT BE USED AS THE SOLE BASIS FOR RESTRICTING THE SCOPE OF MORE DETAILED (E.G., SITE-SPECIFIC) ASSESSMENTS OF RISK.

月生中国

REGION 10 ANNOTATED VERSION -- JUNE 12, 2000 DOCUMENTATION OF ENVIRONMENTAL INDICATOR DETERMINATION

Interim Final 2/5/99

RCRA Corrective Action Environmental Indicator (EI) RCRIS code (CA750)

Migration of Contaminated Groundwater Under Control

Facility	Name:

General Electric-Dawson Plant

Facility Address:

220 S. Dawson Street, Seattle, WA 98108

Facility EPA ID #:

WAD009278706

1.	Has all available relevant/significant information on known and reasonably suspected releases to the groundwater media, subject to RCRA Corrective Action (e.g., from Solid Waste Management Units (SWMU), Regulated Units (RU), and Areas of Concern (AOC)), been considered in this EI determination?				
	_X	If yes - check here and continue with #2 below.			
****	3 ^{3 · · ·}	If no - re-evaluate existing data, or			
		If data are not available, skip to #8 and enter "IN" (more information needed) status code.			

BACKGROUND

<u>Definition of Environmental Indicators (for the RCRA Corrective Action)</u>

Environmental Indicators (EI) are measures being used by the RCRA Corrective Action program to go beyond programmatic activity measures (e.g., reports received and approved, etc.) to track changes in the quality of the environment. The two EI developed to-date indicate the quality of the environment in relation to current human exposures to contamination and the migration of contaminated groundwater. An EI for non-human (ecological) receptors is intended to be developed in the future.

<u>Definition of "Migration of Contaminated Groundwater Under Control" EI</u>

A positive "Migration of Contaminated Groundwater Under Control" EI determination ("YE" status code) indicates that the migration of "contaminated" groundwater has stabilized, and that monitoring will be conducted to confirm that contaminated groundwater remains within the original "area of contaminated groundwater" (for all groundwater "contamination" subject to RCRA corrective action at or from the identified facility (i.e., site-wide)).

Relationship of EI to Final Remedies

While Final remedies remain the long-term objective of the RCRA Corrective Action program the EI are near-term objectives which are currently being used as Program measures for the Government Performance and Results Act of 1993, GPRA). The "Migration of Contaminated Groundwater Under Control" EI pertains ONLY to the physical migration (i.e., further spread) of contaminated groundwater and contaminants within groundwater (e.g., non-aqueous phase liquids or NAPLs). Achieving this EI does not substitute for achieving other stabilization or final remedy requirements and expectations associated with sources of contamination and the need to restore, wherever practicable, contaminated groundwater to be suitable for its designated current and future uses.

Duration / Applicability of EI Determinations

EI Determinations status codes should remain in RCRIS national database ONLY as long as they remain true (i.e., RCRIS status codes must be changed when the regulatory authorities become aware of contrary information).

	"levels" (i.e., ap	known or reasonably suspected to be "contaminated" above appropriately protective plicable promulgated standards, as well as other appropriate standards, guidelines, teria) from releases subject to RCRA Corrective Action, anywhere at, or from, the facility?
	_X	If yes - continue after identifying key contaminants, citing appropriate "levels," and referencing supporting documentation.
	· · · · · · · · · · ·	If no - skip to #8 and enter "YE" status code, after citing appropriate "levels," and referencing supporting documentation to demonstrate that groundwater is not "contaminated."
		If unknown - skip to #8 and enter "IN" status code.
chloride concent boundar	exceed MTCA Marations of TCE areas. Based on curvater and surface	(s): As of the date of this evaluation, groundwater concentrations of TCE, PCE, and vinyle Method B potable groundwater cleanup levels within the property boundary. Groundwater and vinyl chloride exceed MTCA Method B surface water cleanup levels within the property grent data, TCE, cis 1,2-DCE and vinyl chloride exceed MTCA Method B potable water cleanup levels beyond the former GE downgradient property line. Refer to the Monitoring Reports thru 2005, and Second Draft Site Hydrogeologic and Contaminant
~	on Model, dated ! Has the migrati expected to rem	
Migrati	on Model, dated ! Has the migrati expected to rem	on of contaminated groundwater stabilized (such that contaminated groundwater is ain within "existing area of contaminated groundwater" as defined by the monitoring
Migrati	on Model, dated ! Has the migrati expected to rem	on of contaminated groundwater stabilized (such that contaminated groundwater is ain within "existing area of contaminated groundwater" as defined by the monitoring
Migrati	on Model, dated ! Has the migrati expected to rem locations design	on of contaminated groundwater stabilized (such that contaminated groundwater is ain within "existing area of contaminated groundwater" as defined by the monitoring ated at the time of this determination)? If yes - continue, after presenting or referencing the physical evidence (e.g., groundwater sampling/measurement/migration barrier data) and rationale why contaminated groundwater is expected to remain within the (horizontal or vertical) dimensions of the
Migrati	on Model, dated ! Has the migrati expected to rem locations design	on of contaminated groundwater stabilized (such that contaminated groundwater is ain within "existing area of contaminated groundwater" as defined by the monitoring ated at the time of this determination)? If yes - continue, after presenting or referencing the physical evidence (e.g., groundwater sampling/measurement/migration barrier data) and rationale why contaminated groundwater is expected to remain within the (horizontal or vertical) dimensions of the "existing area of groundwater contamination". If no (contaminated groundwater is observed or expected to migrate beyond the designated locations defining the "existing area of groundwater contamination".) - skip to

¹ "Contamination" and "contaminated" describes media containing contaminants (in any form, NAPL and/or dissolved, vapors, or solids, that are subject to RCRA) in concentrations in excess of appropriate "levels" (appropriate for the protection of the groundwater resource and its beneficial uses).

² "existing area of contaminated groundwater" is an area (with horizontal and vertical dimensions) that has been verifiably demonstrated to contain all relevant groundwater contamination for this determination, and is defined by designated (monitoring) locations proximate to the outer perimeter of "contamination" that can and will be sampled/tested in the future to physically verify that all "contaminated" groundwater remains within this area, and that the further migration of "contaminated" groundwater is not occurring. Reasonable allowances in the proximity of the monitoring locations are permissible to incorporate formal remedy decisions (i.e., including public participation) allowing a limited area for natural attenuation.

Rationale and Reference(s): Groundwater extraction wells at the downgradient boundary of the former GE property are operating to help control offsite groundwater contamination migration. An additional near-source onsite groundwater extraction well was installed in late 2003. Additional groundwater sampling in 2004 and 2005 from recently installed offsite and downgradient groundwater wells indicate that the offsite contaminant plume is stable, but a final groundwater remediation is still required to meet the WA State groundwater cleanup levels per Chapter 173-303-WAC, while taking into consideration current and future potential land, surface water and groundwater beneficial use as well as current and potential future exposure scenarios. The Duwamish River is approximately 2000 feet from the former GE facility. Refer to the Quarterly Groundwater Monitoring Reports, thru 2005 and Second Draft Site Hydrogeologic and Contaminant Migration Model, dated 9/21/04.

This question focuses ONLY on the movement of contaminated groundwater, not the level of contamination. A "YES" response should be arrived at if, through interpretation of groundwater flow data or sound professional judgment, groundwater contamination can be shown to not be expanding in spatial extent. It is perfectly acceptable to have a "YE" groundwater EI if:

- 1) contaminated groundwater is located off-site but not migrating further;
- 2) contaminated groundwater is contaminated above cleanup standards, but not migrating further;
- acceptable attenuation mechanisms and in accordance with EPA's Monitored Natural Attenuation Guidance, Directive 9200.4-17 December 1997 Use of Monitored Natural Attenuation at Corrective Action Sites) is such that the outer boundaries of the plume are not expanding.

4.	Does "contaminated" groundwater discharge into surface water bodies?					
	X	If yes - continue after identifying potentially affected surface water bodies.				
	<u></u> -	If no - skip to #7 (and enter a "YE" status code in #8, if #7 = yes) after providing an explanation and/or referencing documentation supporting that groundwater "contamination" does not enter surface water bodies.				
•		If unknown - skip to #8 and enter "IN" status code.				

Rationale and Reference(s): The impacted aquifer discharges to the Duwamish River approximately 2000 feet west of the facility.

- 5. Is the discharge of "contaminated" groundwater into surface water likely to be "insignificant" (i.e., the maximum concentration³ of each contaminant discharging into surface water is less than 10 times their appropriate groundwater "level," and there are no other conditions (e.g., the nature, and number, of discharging contaminants, or environmental setting), which significantly increase the potential for unacceptable impacts to surface water, sediments, or eco-systems at these concentrations)?
 - X_ If yes skip to #7 (and enter "YE" status code in #8 if #7 = yes), after documenting: 1) the maximum known or reasonably suspected concentration of key contaminants discharged above their groundwater "level," the value of the appropriate "level(s)," and if there is evidence that the concentrations are increasing; and 2) provide a statement of professional judgment/explanation (or reference documentation) supporting that the discharge of groundwater contaminants into the surface water is not anticipated to have unacceptable impacts to the receiving surface water, sediments, or eco-system.

If no - (the discharge of "contaminated" groundwater into surface water is potentially significant) - continue after documenting: 1) the maximum known or reasonably

³ As measured in groundwater prior to entry to the groundwater-surface water/sediment interaction (e.g., hyporheic) zone.

suspected concentration³ of each contaminant discharged above its groundwater "level," the value of the appropriate "level(s)," and if there is evidence that the concentrations are increasing; and 2) for any contaminants discharging into surface water in concentrations³ greater than 100 times their appropriate groundwater "levels," the estimated total amount (mass in kg/yr) of each of these contaminants that are being discharged (loaded) into the surface water body (at the time of the determination), and identify if there is evidence that

	the amount of discharging contaminants is increasing.
	If unknown - enter "IN" status code in #8.
	onale and Reference(s): Refer to the Quarterly Groundwater Monitoring Reports, thru 2005 and Second ft Site Hydrogeologic and Contaminant Migration Model, dated 9/21/04.
ac	n the discharge of "contaminated" groundwater into surface water be shown to be "currently ceptable" (i.e., not cause impacts to surface water, sediments or eco-systems that should not be allowed continue until a final remedy decision can be made and implemented ⁴)?
	If yes - continue after either: 1) identifying the Final Remedy decision incorporating these conditions, or other site-specific criteria (developed for the protection of the site's surface water, sediments, and eco-systems), and referencing supporting documentation demonstrating that these criteria are not exceeded by the discharging groundwater; OR 2) providing or referencing an interim-assessment, appropriate to the potential for impact, that shows the discharge of groundwater contaminants into the surface water is (in the opinion of a trained specialists, including ecologist) adequately protective of receiving surface water, sediments, and eco-systems, until such time when a full assessment and final remedy decision can be made. Factors which should be considered in the interim-assessment (where appropriate to help identify the impact associated with discharging groundwater) include: surface water body size, flow, use/classification/habitats and contaminant loading limits, other sources of surface water/sediment contamination, surface water and sediment sample results and comparisons to available and appropriate surface water and sediment "levels," as well as any other factors, such as effects on ecological receptors (e.g., via bio-assays/benthic surveys or site-specific ecological Risk Assessments), that the overseeing regulatory agency would deem appropriate for making the EI determination.
	If no - (the discharge of "contaminated" groundwater can not be shown to be "currently acceptable") - skip to #8 and enter "NO" status code, after documenting the currently unacceptable impacts to the surface water body, sediments, and/or eco-systems.
	If unknown - skip to 8 and enter "IN" status code.
	ionale and Reference(s):

⁴ Note, because areas of inflowing groundwater can be critical habitats (e.g., nurseries or thermal refugia) for many species, appropriate specialist (e.g., ecologist) should be included in management decisions that could eliminate these areas by significantly altering or reversing groundwater flow pathways near surface water bodies.

⁵ The understanding of the impacts of contaminated groundwater discharges into surface water bodies is a rapidly developing field and reviewers are encouraged to look to the latest guidance for the appropriate methods and scale of demonstration to be reasonably certain that discharges are not causing currently unacceptable impacts to the surface waters, sediments or eco-systems.

When considering discharge of groundwater to surface water, it is important to remember that some discharges may be considered acceptable - it is not necessary to demonstrate that there are no discharges, or that groundwater meets surface water criteria at the point of discharge, as may be the case with final cleanup levels. As with human exposures controlled and other groundwater criteria, sound professional judgment may be used in evaluating the impact of groundwater to surface water.

The GW/SW component of the 750 EI really has three parts: 1) is there a discharge; 2) is the discharge insignificant; and 3) is the discharge currently acceptable (questions 4-6, respectively). A YE EI may be obtained if appropriate responses can be made through following this three-step analysis (no discharge, discharge insignificant, or discharge acceptable, respectively). Note that the level of supporting analysis and/or data increases as you progress through these three steps - a finding that a discharge is acceptable for a particular water body requires a considerably more complex analysis than a finding that there is no discharge.

Another point to recognize is that surface water issues often involve ecological risk considerations, and that such ecological evaluations often require specialized professional evaluation. Never the less, the quantity of data and effort required for analysis of groundwater/surface water EI questions should not be significantly different than what is required for human exposures or other groundwater questions. Evaluation of surface water from an EI perspective should not require a disproportionate effort.

7.	Will groundwater monitoring / measurement data (and surface water/sediment/ecological data, as necessary) be collected in the future to verify that contaminated groundwater has remained within the horizontal (or vertical, as necessary) dimensions of the "existing area of contaminated groundwater?"
	_X If yes - continue after providing or citing documentation for planned activities or future sampling/measurement events. Specifically identify the well/measurement locations which will be tested in the future to verify the expectation (identified in #3) that groundwater contamination will not be migrating horizontally (or vertically, as necessary) beyond the "existing area of groundwater contamination."
	If no - enter "NO" status code in #8.
	If unknown - enter "IN" status code in #8.
	Rationale and Reference(s): Onsite and offsite (downgradient) groundwater monitoring for chlorinated solvent constituents will part of the current and future remedial investigation and cleanup. Refer to the 1998 through 2005 Quarterly Groundwater Monitoring Reports.
8.	Check the appropriate RCRIS status codes for the Migration of Contaminated Groundwater Under Control EI (event code CA750), and obtain Supervisor (or appropriate Manager) signature and date on the EI determination below (attach appropriate supporting documentation as well as a map of the facility).
	YE - Yes, "Migration of Contaminated Groundwater Under Control" has been verified. Based on a review of the information contained in this EI determination, it has been determined that the "Migration of Contaminated Groundwater" is "Under Control" at the General Electric-Dawson Plant facility, EPA ID # WAD009278706, located 220 South Dawson Street, Seattle, WA. Specifically, this determination indicates that the migration of "contaminated" groundwater is under control, and that monitoring will be conducted to confirm that contaminated groundwater remains within the "existing area of contaminated groundwater" This determination will be re-evaluated when the Agency becomes aware of significant changes at the facility.
	NO - Unacceptable migration of contaminated groundwater is observed or expected.
_	IN - More information is needed to make a determination.

Page 6

Completed by

le Jasebo

Environmental Engineer

Hazardous Waste and Toxics Reduction Program

Washington State Department of Ecology, Northwest Regional Office

Supervisor

Date 9/765

Julie Sellick
Hazardous Waste and Toxics Reduction Program, Section Supervisor
Washington State Department of Ecology, Northwest Regional Office

.

 Washington State Department of Ecology-Central Files Office Northwest Regional Office 3190 160th Ave SE Bellevue, WA 98008-5452 (425) 649-7190

Contact telephone and e-mail numbers

Locations where References may be found:

Name: Dean Yasuda Telephone: 425 649 7264 E-Mail: dyas461@ecy.wa.gov